

# ***SIGNAGE WOW***

**FIXTURES & FITTINGS**  
**SOLUTIONS FOR**  
**HANGING AND FITTING SIGNS**





**FIXTURES & FITTINGS  
FOR HANGING SIGNS**  
PAGE 3-23




**SUCTION CUPS**  
PAGE 24-25



**SIGN AND PANEL FIXINGS**  
PAGE 26-35



**EASY FIX DISTANCE  
HOLDERS**  
PAGE 36-43



**SIGN MOUNTING  
SYSTEMS**  
PAGE 44-59



**SPACERS AND  
SCREW CAPS**  
PAGE 60-61



**FIXTURES FOR  
FREESTANDING SIGNS**  
PAGE 62-75



**ROAD SIGN FIXING  
SYSTEMS**  
PAGE 76-79



**PROJECTING SIGNS**  
PAGE 80-87



FIXTURES & FITTINGS FOR HANGING SIGNS

FINESTRA	PAGE 4
ZIP-CLIP STEEL CABLE	PAGE 6
STEEL CABLE & CLAMPS	PAGE 7
BASIC HANGING SYSTEMS	PAGE 10
FIXTURES FOR HANGING SYSTEMS	PAGE 12
BLACK STEEL CABLE AND HANGING KITS	PAGE 14
STEEL CABLE AND HANGING KITS	PAGE 15
WIRE CABLE SYSTEMS	PAGE 16
CEILING MOUNTS FOR HANGING SIGNS	PAGE 18
HOOKS AND HANGERS	PAGE 20
POSTER/BANNER HANGING	PAGE 21
SUCTION CUPS	PAGE 24



 **FINESTRA BASIC**


Hanging rigid sign panels is easy with the Signage Wow Finestra Basic hanging system. An aluminium high quality cable display system, the Finestra Basic Hanging System consists of:

- 2 x Ceiling / Floor Mounts,
- 2 x 6.5mm Clamps, and
- 2 x 1 metre Cables

Ideal for hanging display signage around office receptions, galleries or window fronts!

PACK SIZE	PANEL THICKNESS	COLOUR	MATERIAL	LOAD
Pack Of 2	Up to 6.5mm	Aluminium	Aluminium	10kg

FINARBASIX



SIZES

Images for illustration purposes only.



IN THE PACK



 **FINESTRA CLASSIC**

The Finestra Classic is a high quality brass cable hanging system consisting of:


- 2 x Chromed Ceiling / Floor Mounts,
- 2 x 5mm Clamps
- 2 x 1 metre Cables.

PACK	PANEL	COLOUR	MATERIAL	LOAD
Pack Of 2	Up to 5mm	Aluminium	Brass	7kg

FINCMCLASSIC



EASY ASSEMBLY



SIZES

 **FINESTRA AVANDGARDE**

The Finestra Avandgarde is a high quality stainless steel cable hanging system consisting of:


- 2 x Ceiling / Floor Mounts,
- 2 x 6mm Clamps
- 2 x 1 metre Cables.

PACK	PANEL	COLOUR	MATERIAL	LOAD
Pack Of 2	Up to 6 mm	Stainless Steel	Brass	10kg

FINIXAVANDGARDE



IN THE PACK



SIZES



**ZIP CLIP** STEEL CABLE

Zip-Clip Steel Cable gives the ability to produce your own made to measure wire suspension systems when used in conjunction with Zip-Clip Rizes. Simply use a zip-clip to attach the wire to your chosen anchor point. The cable comes pre-reeled in a handy box - simply cut to the length you require, saving on wastage. Easily transportable, the cables are rated for a safe working load of up to 50kgs.

- Ideal for:
- Wrapping around existing steelwork, I-beams or purlins.
  - Suitable for use with a wide range of fixings including eye bolt adapters, concrete fixings, deck wedges and purlin clips.
  - Ideal for secondary light supports.

CABLE	DIAMETER	LENGTH	LOAD	COMPATIBLE RIZE
G	1.5mm	200 Mtrs	10kg	KL50
S	2mm	200 Mtrs	50kg	KL100

R200



**ZIP CLIP** RIZE

The unique Zip-Clip Rize unit features a simple yet highly effective locking mechanism that is ideal for use in the suspension of all types of signage. They are easy to handle and simple to install.

Images for illustration purposes only.



**STEEL CABLE 1,5MM, 3M ROLL BLACK**

CABLE	DIAMETER	LENGTH
Steel/Black	1.5 mm	3 mtrs

FINK15R003GVZ



**STEEL CABLE 1,5MM, 20M ROLL**

CABLE	DIAMETER	LENGTH
Steel/Silver	1.5 mm	20 mtrs

FINK15R020GV



**PLASTIC COATED STEEL CABLE 2MM, 100M ROLL**

CABLE	DIAMETER	LENGTH
Steel/Silver	2 mm	100 mtrs

FINK20R100GP



**STEEL CABLE 1,5MM, 50M ROLL BLACK**

CABLE	DIAMETER	LENGTH
Steel/Black	1.5 mm	50 mtrs

FINK15R050GVZ



**PLASTIC COATED STEEL CABLE 1,5MM, 100M ROLL**


CABLE	DIAMETER	LENGTH
Steel/Silver	1.5 mm	100 mtrs

FINK15R100GP



 **CABLE CLAMPS**

The egg-shaped Signage Wow Cable Clamps are ideal for making a loop with 2mm steel cable.



CABLE THICKNESS	MATERIAL	SIZE (L x W X H)	PACK SIZE
2 mm	Steel	26 x 15 x 12mm	10


KLEMPK10

 **PERLA LOOP CLAMPS**

The KD Perla is a loop clamp system which is used by simply sliding through steel cable or nylon thread and tightening the allen screw. Pack includes 4 Loop Clamps with Allen Key.

CABLE THICKNESS	MATERIAL	SIZE	LOAD	PACK SIZE
1.8 mm	Chrome Plated Brass	10 mm	5 kg	4

FPE10CM




 **RIZE**

The unique Zip-Clip Rize unit comes in two sizes and features a simple yet highly effective locking mechanism that is ideal for use in the suspension of all types of signage. They are easy to handle and simple to install.

RIZE TYPE	CABLE	MATERIAL	LOAD	COMPATIBLE CABLE	PACK SIZE
KL50	1.5 mm	Steel	15 kg	G	1
KL100	2 mm	Steel	50 kg	S	1

KL50 / KL100



Images for illustration purposes only.



STEEL CABLE LOOP GRIPPER FOR 1.2-1.5MM WIRE BLACK



STEEL CABLE LOOP GRIPPER FOR 1.2-1.5MM WIRE NICKEL PLATED



STEEL CABLE LOOP GRIPPER FOR 1,8-2MM WIRE NICKEL PLATED

 **STEEL CABLE LOOP GRIPPERS**

This steel cable loop gripper is an automatic wire clamp. With this you can easily make adjustable loops by pressing it and pulling the cable through it. The steel cable with loop can then easily be made larger or smaller. Suitable for steel cables from 1.2mm to 2.0mm. These grippers are suitable for many applications, such as hanging paintings, (photo) prints, billboards and signage: Pack size of 1.



**KD PLUSMATIC**

The KD Plusmatic is a galvanised self-locking universal ceiling fastener for steel cables or nylon threads. Simply mount the fastener, insert the cable and the self-locking mechanism holds the cable by pull. Pack includes 2x Plusmatic units with screws and raw plugs.

MAX CABLE THICKNESS	MATERIAL	PACK
1.8 mm	Silver Matt Plate Brass	Pack Of 2

FPM3530CM

**STEEL CABLE HOLDER BASIC**


The Signage Wow Steel Cable Holder is a basic ceiling mount which can be used for two purposes - you attach it with the wide base (40mm) and use three 3mm screws or you unscrew the wide foot and attach the narrow foot (12mm) with a single 3mm screw.

OUTSIDE DIAMETER	MATERIAL	COLOUR	PACK
12 mm	Seed	Chrome	Pack Of 2

RPH351240PK2

**KD FLY LEAN PERLA**

The KD Fly Lean Perla is the complete solution for ceiling signage suspension. Made from long lasting silver matt anodised aluminium, the pack includes: 1 x ceiling cable support, 1 x cable clamp and 1 x 2m steel cable with ball.



MATERIAL	LOAD PER PIECE	PACK
Aluminium	5 kg	Pack of 1

YLP10AL



Images for illustration purposes only.

Images for illustration purposes only.





STEELCABLE HOLDER  
MAGNETIC PLUS

This magnetic steel cable holder for the ceiling is a self-gripper with extra security that makes it easy to adjust by pressing and pulling the cable through the side exit. The magnetic attachment has the most effect directly on steel. The pulling force of 9 kg (per magnet) is greatly reduced when used on a suspended ceiling. Suitable for steel cables from 1.5mm to 2mm. Suitable for various applications.

CABLE THICKNESS	MATERIAL	PACK
1.5-2 mm	SteelChrome	1

RMPH121626



STEEL CABLE HOLDER G15  
SUSPENDED CEILING FOR 1.5-1.8MM WIRE

This steel cable holder for the suspended ceiling is a self-gripper, making it easy to adjust by pressing it in and pulling the cable through it via the side exit. You screw this steel wire attachment onto the suspended ceiling clip. Suitable for steel cables from 1.5mm to 1.8mm. Suitable for various applications.

CABLE THICKNESS	MATERIAL	PACK
1.5 - 1.8 mm	Steel/Chrome	1

FING015



STEEL CABLE HOLDER G6 FOR  
1.2-1.5MM WIRE

This steel cable holder for the ceiling is a self-gripper which makes it easy to adjust by pressing it in and pulling the cable through it via the side exit. You can use this steel wire attachment in two ways: you fix it with a screw (use a 4mm screw for this) or you screw the bottom onto an M6 thread. Suitable for steel cables from 1.2mm to 1.5mm. Suitable for various applications.

CABLE THICKNESS	MATERIAL	PACK
1.2 - 1.5 mm	Steel/Chrome	1

FING006

Images for illustration purposes only.



STEEL CABLE HOLDER G27  
FOR PANELS/ACOUSTIC  
PANELS 25MM

This steel cable holder for panels is a self-gripper, making it easy to adjust by pressing it and pulling the cable through the side exit. You can clamp a maximum of 20mm thick panels in it. Suitable for steel cables from 1.2mm to 1.5mm. Suitable for various applications. On 1.2mm cable load is 10kg on 1.5mm cable load is 16kg.

CABLE THICKNESS	MATERIAL	PANEL THICKNESS	LOAD PER PIECE	PACK
1.2 - 1.5 mm	Steel/Chrome	1-20 mm	10-16 kg	1

FING027



STEEL CABLE HOLDER G26  
FOR PANELS/ACOUSTIC  
PANELS 10MM

This steel cable holder for panels is a self-gripper, making it easy to adjust by pressing it and pulling the cable through the side exit. You can clamp a maximum of 10mm thick panels in it. Suitable for steel cables from 1.2mm to 1.5mm. Suitable for various applications. On 1.2mm cable load is 10kg on 1.5mm cable load is 16kg.

CABLE THICKNESS	MATERIAL	PANEL THICKNESS	LOAD PER PIECE	PACK
1.2 - 1.5 mm	Steel/Chrome	1-10 mm	10-16 kg	1

FING026



 **FINESTRA PLUS BLACK CABLE HANGING SYSTEM**

This black steel cable suspension set contains two black ceiling mounts, 3m black steel cable and two black plate holders. The steel cable holder that you mount on the ceiling is a self-gripper with extra security. This makes it easy to adjust by pressing it, pulling the cable through the side exit and then tightening. You attach the steel wire to the plate holder using a hexagon socket. You can easily clamp the plate onto the plate holder by tightening the hexagon socket. The Finestra Plus black is suitable for hanging panels up to 15KG. (This is an indication of the weight tested under the most favourable conditions, no rights can be derived from this).

PACK SIZE	PANEL THICKNESS	COLOUR	MATERIAL	LOAD
Pack Of 2	2-8 mm	Black	Aluminium	15kg

FINPZ



IN THE PACK



 **FINESTRA PLUS BLACK SUSPENDED CEILING SYSTEM**

Finestra Plus black is a suspended ceiling cable display system which consists of 2 black steel suspended ceiling mounts, 2 black steel cable holders, 2 black clamps of 8mm and 3 meters of cable. The steel cable holder that you mount on the ceiling is a self-gripper with extra security. This makes it easy to adjust by pressing it, pulling the cable through the side exit and then tightening. You attach the steel wire to the plate holder using an hexagon socket. You can easily clamp the plate onto the plate holder by tightening the hexagon socket. Applicable to 24mm ceiling profiles.

PRODUCT CODE: FINSPZ



 **FINESTRA MAGNETIC PLUS BLACK CABLE HANGING SYSTEM**

Finestra Magnetic Plus black is a magnetic cable display system that consists of 2x ceiling magnets, 2x black ceiling mounts, 2x black clamps of 8mm and 3 meters of black cable. The steel cable holder that you mount on the ceiling is a self-gripper with extra security. This makes it easy to adjust by pressing it, pulling the cable through the side exit and then tightening. You attach the steel wire to the plate holder using an hexagon socket. You can easily clamp the plate onto the plate holder by tightening the hexagon socket. The magnetic attachment has the most effect directly on steel. The pulling force of 9kg (per magnet) is greatly reduced when used on a suspended ceiling.

PRODUCT CODE: FINMGPZ



 **STEEL CABLE HOOK H8 FOR 1.2-1.5MM WIRE, CLOSED HOOK**

This black steel cable hook is a self-gripper which makes it easy to adjust by pressing it in and pulling the cable through it via the side exit. This way you can easily attach it to the steel wire. The suspension hook is easy to open by pushing the spring-loaded clip aside. Suitable for steel cables from 1.2mm to 1.5mm. This suspension attachment is suitable for many applications, such as hanging paintings, photos (prints) and advertising signs.

PRODUCT CODE: FINH008



 **BLACK STEEL CABLE 1,5MM, 50M ROLL BLACK**

PRODUCT CODE: FINK15R050GVZ



 **BLACK STEEL CABLE 1,5MM, 3M ROLL BLACK**

PRODUCT CODE: FINK15R003GVZ



**FLEXIBLE STAINLESS STEEL SYSTEM**

The Signage Wow Flexible System is made from stainless steel and consists of two flexible fixings and 2x4 metres of cable.

MAX CABLE THICKNESS	LOAD	PACK
1.5 mm	10 kg	Pack of 2

FINMMIX



**STAINLESS STEEL CABLE DISPLAY CLAMP (DOUBLE)**

The stainless steel cable display clamp (double) is suitable for sheet thicknesses between 2-8mm. The classic finish gives displays a unique look and thanks to the easy installation process, displays can be constructed in no time.



PLATE THICKNESS	PACK
2-8 mm	Pack Of 1

FINCDIX



**STAINLESS STEEL CABLE DISPLAY CLAMP (SINGLE)**

The stainless steel cable display clamp (single) is suitable for sheet thicknesses between 2 and 8mm.



PLATE THICKNESS	PACK
2-8 mm	Pack Of 1

FINCSIX



**IT'S ALL HERE FOR YOU**

At Signage Wow, we love innovative fixtures and fittings that are designed to make your life easier. We source only the best products from around the world. Explore our full range and get in touch with our team of experts today.




CEILING CLIP

The Signage Wow Ceiling Clips feature an open hook that makes them ideal for suspending posters and banners from a suspended ceiling. Maximum load of up to 600g.

SIZE	PACK	LOAD
23x23 mm	Pack of 50	600g

CEILINGCLIP23X23PK50




CEILING CLIP WITH CLOSED HOOK (RECTANGULAR)

Ultra flat, the Signage Wow Ceiling Clip with closed hook is ideal for hanging light posters with a spring hook. Maximum load of up to 300g.

SIZE	PACK	LOAD
20x40 mm	Pack of 100	300g

CEILINGHOOK20X40PK100




CEILING CLIP WITH CLOSED HOOK (SQUARE)

Ultra flat, the Signage Wow Ceiling Clip with closed hook is ideal for hanging light posters with a spring hook. Maximum load of up to 300g.

SIZE	PACK	LOAD
20x20 mm	Pack of 100	600g

CEILINGHOOK20X20PK100




CEILING CLIP FALSE CEILING

Removable and discreet, the Signage Wow Ceiling Clip False Ceiling simply fits into the ceiling grid. Maximum load of up to 2kg.

SIZE	PACK	LOAD
20x20 mm	Pack of 100	2 kg

CEILINGCLIPFALSE20X20PK100




METAL CEILING CLIP

The Signage Wow Metal Ceiling Clip is made of two heads that fit into the ceiling grids. This type of hook is recommended for hanging heavier signage.

SIZE	PACK
41 x 12 x 20mm	Pack of 10

CEILINGHOOKMETAL41X12



WHITE MAGNETHOOK METAL (2KG)

This metal ceiling magnet, with a round outside diameter of 20mm can carry up to a maximum of 2kg.

DIAMETER	MAX WEIGHT	PACK
20mm	2 kg	Pack of 1

MG300023



WHITE MAGNETHOOK METAL (6KG)

This metal ceiling magnet, with a round outside diameter of 32mm can carry up to a maximum of 6kg.

DIAMETER	MAX WEIGHT	PACK
32 mm	6 kg	Pack of 1

MG300025



WHITE MAGNETHOOK METAL (10KG)

This metal ceiling magnet, with a round outside diameter of 40mm can carry up to a maximum of 10kg.

DIAMETER	MAX WEIGHT	PACK
40 mm	10 kg	Pack of 1

MG300027



WHITE MAGNETHOOK METAL (22KG)

This metal ceiling magnet, with a round outside diameter of 57mm can carry up to a maximum of 22kg.

DIAMETER	MAX WEIGHT	PACK
57 mm	22 kg	Pack of 1

MG300030




 **STRETCHABLE SPRING HOOK**

The Signage Wow Stretchable Spring Hook is a double ended hook that enables the easy height adjustment of suspended signage. Once the hook is stretched, it remains that height.

LENGTH	PACK
120-1000 mm	Pack of 100

CEILINGHOOKDBLSPRING1000PK100




 **DOUBLE ROD CEILING HOOKS**

The Signage Wow Double Rod Ceiling Hook is a double hook ended metal rod, made from durable and strong 2mm thick metal wire. Ideal for poster suspension.

WIDTH	PACK
150 mm	Pack of 100

CEILINGHOOKDbI



 **METAL S HOOK**

The Signage Wow Metal S Hook is a durable hook which is ideal for suspending heavy posters or signage.

HEIGHT	WIDTH	DIAMETER	PACK
24mm	12 mm	2 mm	Pack of 100

CEILINGHOOKSMETAL24PK100



 **ROUND METAL SPLIT RING**

The Signage Wow Round Metal Split Rings are easy to handle and very practical for hanging posters and displays.

WIDTH	PACK
150 mm	Pack of 100

RINGMETALSPLITPK100



 **BANNER BLOCK**

KD Banner Block is the perfect profile to display digital prints. This silver anodised aluminium extrusion banner helps clamp the full length of your digital print giving it a high quality feel and finish. Available in common size lengths as a two piece set, with eyelets and convenient profile opener. Available up to 2mtrs wide.

 **WHY SIGN MAKERS LOVE THIS PRODUCT**

- Plastic eyelets included which can be easily clipped on to enable suspension from ceilings.
- Available in common size lengths as a two piece set, with eyelets and convenient profile opener.
- Available up to 2mtrs wide.

MATERIAL	MATERIAL
500 mm	1500 mm
700 mm	2000 mm
1000 mm	Side Fixings
1200 mm	

BANNERBLOCK



CLIPPING IN



HANGING

Images for illustration purposes only.





POSTER CLAMP

The Signage Wow Poster Clamp is ideal for the hanging of large/heavy weight posters, banners and textiles up to 500 micron in thickness. Featuring a heavy duty gripping action, each set consists of a pair of two-part 25mm aluminium rails and two adjustable hanging clips. Ideal for wall mounting but can be suspended for window display and is also ideal for large, heavier weight ceiling suspended banners.

POSTER	WEIGHT
500 mm	0.5kg
700 mm	0.65kg
1000 mm	0.95kg

BANNERGRIP



Images for illustration purposes only.





 **STANDARD SUCTION CUPS**

The Signage Wow suction cups support a poster by simply fitting into a perforation made in the poster. The cup will stick to glass or any smooth surface.

HOLE DIAMETER	CUP DIAMETER	PACK
22 mm	45 mm	Pack of 100

SUCTIONCUP45PK100

 **SUCTION CUP WITH HOOK**

The Signage Wow suction cup with hook is a durable, versatile suction cup that provides a firm grip whilst being easy to remove. Can be easily attached to smooth non-porous windows, mirrors, glass, metal, fiberglass or any other clean, smooth, non-porous surface.

CUP DIAMETER	PACK
45 mm	Pack of 50

SUCTIONCUPHOOK45pk50



75 MM



51 MM



37.5 MM

 **SUCTION CUP 75MM WITH TRANSPARENT NUT**

Suction cap with transparent cap. Suction cap with threaded end size M4x15 mm. Minimum plate thickness 7 mm.

CUP DIAMETER	PLATE THICKNESS	PACK	LOAD
37.5 mm	1-7 mm	Pack of 4	3 kg
51 mm	1-7 mm	Pack of 4	6 kg
75 mm	1-7 mm	Pack of 4	12 kg


ZG



## SIGN & PANEL FIXINGS

STANDOFF FIXINGS AND SPACERS

PAGE 28





QUATTROFIX STAINLESS STEEL STANDOFFS

The Signage Wow Quattrofix Stainless Steel Standoff range are universal stainless steel standoffs that ‘Quattrofix’ with an allen screw. Ideal for use with a huge range of materials and applications. These standoffs are tamper-proof and so are perfect for outdoor use.

DIMENSIONS	DIA.	DISTANCE FROM WALL	PLATE THICKNESS	BORE HOLE	PACK
15 x 15mm	15 mm	15 mm	2-10 mm	8 mm	Pack Of 4
20 x 20mm	20 mm	20 mm	2-10 mm	8 mm	Pack Of 4
20 x 30mm	20 mm	30 mm	2-10 mm	8 mm	Pack Of 4
20 x 45mm	20 mm	45 mm	2-10 mm	8 mm	Pack Of 4
25 x 25mm	25 mm	25 mm	2-10 mm	8 mm	Pack Of 4
20 x 65mm	20 mm	65 mm	2-10 mm	8 mm	Pack Of 4

01QATIX304IB

Images for illustration purposes only.



QUATTROFIX BOLDER STANDOFF

The Signage Wow Quattrofix Universal Stainless Steel border standoffs are ideal for use with a huge range of materials and applications. Tamper-proof, they are for indoor use only.

COLOURS	DIA.	DISTANCE FROM WALL	PLATE THICKNESS	BORE HOLE	PACK
Satin	15 mm	19 mm	2-10 mm	8 mm	Pack Of 4
Black	15 mm	19 mm	2-10 mm	8 mm	Pack Of 4
Chrome	15 mm	19 mm	2-10 mm	8 mm	Pack Of 4
Gold	15 mm	19 mm	2-10 mm	8 mm	Pack Of 4

QAT1519SCMIB

Images for illustration purposes only.






STANDOFFS ALUMINIUM RIGHT-HAND-  
THREAD 100 PCS BOX

Universal spacers Quattrofix with right-hand thread. For all materials and every application. Can be used indoors and outdoors. Material: Aluminum.

SIZE	DISTANCE FROM WALL	PLATE THICKNESS	PACK
13 x 18 mm	18 mm	2-10 mm	100
20 x 20 mm	20 mm	2-10 mm	100

QAT1318ALRDPK100



Images for illustration purposes only.





The KD Mix Alu is a sleek and cost-effective aluminium screw system that's effortless to use. Simply mount the fastener to the wall, insert the head through the drilled sign, and tighten anti-clockwise. This anti-clockwise locking mechanism adds an extra layer of security, deterring tampering or removal. Made from high-quality aluminium, this standoff fitting is available in a variety of finishes and two convenient sizes. Each pack includes four standoffs, complete with all the necessary screws and wall plugs—eliminating the hassle of sourcing additional fittings.

SIZE	FINISH	MATERIAL	MAX HEIGHT	MAX PANEL	DISTANCE F/ WALL	HOLE DIA.	PACK
13 x 20 mm	Gold Satin	Aluminium	10 kg	12 mm	22 mm	9 mm	4
13 x 20 mm	Black Matt	Aluminium	10 kg	12 mm	22 mm	9 mm	4
13 x 13 mm	Aluminium	Aluminium	10 kg	12 mm	15 mm	9 mm	4
13 x 20 mm	Aluminium	Aluminium	10 kg	12 mm	22 mm	9 mm	4

FM

Images for illustration purposes only.





**KD MIDI**

The KD Midi is a classic for mounting small and lightweight signs. Made of top quality brass, the Midi is available in packs of 4, gold, chrome and anodised silver finishes. Ideal for both internal and external applications.

SIZE	FINISH	MATERIAL	MAX HEIGHT	MAX PANEL	DISTANCE FROM WALL	HOLE DIAMETER	PACK
15 x 21mm	Satin Silver	Brass	15 kg	8 mm	21 mm	9 mm	Pack of 4
15 x 21mm	Chrome	Brass	15 kg	8 mm	21 mm	9 mm	Pack of 4
15 x 21mm	Gold	Brass	15 kg	8 mm	21 mm	9 mm	Pack of 4

F1521

**KD BORDER**

The KD Border Standoff is ideal for projects where you wish to avoid drilling holes in the signage being installed.

SIZE	FINISH	MAX WEIGHT	MAX PANEL	DISTANCE FROM WALL	PACK
25 x 25 mm	Satin Silver	5 kg	15 mm	25 mm	Pack Of 4

FB2525AR

Images for illustration purposes only.






QBUS STANDOFF

The durable brass Qbus Standoffs is available in a matt chrome finish.

SIZE/FINISH	BASE MATERIAL	BORE HOLE	OUTSIDE DIA.	PLATE THICKNESS	WALL DISTANCE	PACK
20 x 20 mm Matt Chrome	Brass	8.5 mm	20° mm	2-19 mm	20 mm	Pack of 4

QBUS2020SCM

Images for illustration purposes only.



 STAINLESS STEEL SPACERS

The KD Stainless Steel Spacers are premium-quality spacers with a sleek, elegant design and a reliable plug-interlock system. Installation is simple: mount the fastener to the wall, position the panel, and secure the head through the panel into the fastener. Tighten it firmly using the included Allen screw. These spacers are not only functional but also visually striking, making them an excellent choice for glass installations.

ITEM	DIAMETER	HEIGHT	BOREHOLE	PACK
Steel 13	13 mm	15 mm	9 mm	Pack of 4
Steel 15	15 mm	15 mm	9 mm	Pack of 4
Steel 20	20 mm	20 mm	9 mm	Pack of 4
Steel 25	25 mm	25 mm	9 mm	Pack of 4

FSIX



Images for illustration purposes only.





## DISTANCE HOLDERS

EASY FIX DISTANCE HOLDERS	PAGE 38
INSTANT GLUE	PAGE 39
EASY FIX STEEL	PAGE 40
GOLIATH DISTANCE HOLDERS	PAGE 42
MOUNTING SYSTEMS	PAGE 44
SPACERS AND SCREW CAPS	PAGE 60





EASYFIX DISTANCE HOLDERS

The Signage Wow EasyFix distance holders are strong and durable sign mounting locators designed to offer a flush face mounted sign the ability to stand off from the mounted surface by up to 24mm. They are designed to cope with all weather conditions such as frost, UV rays and wind. Mounted letters or signage can also be easily removed when there is a need for change.

SIZE	COLOUR	FIXING OPTION	OUTSIDE DIAMETER	WALL DISTANCE	PACK
Mini	White	Glue	12 mm	7 mm	250
Small	Black or White	Glue or Screw	15 mm	15 mm	250
Large	Black or White	Glue	18 mm	20 mm	250
Large	Black or White	Screw	18 mm	20 mm	250
X Large	Black or White	Glue	20 mm	24 mm	250
X Large	Black or White	Screw	20 mm	24 mm	250

EASYFIX



AVAILABLE AS GLUE ON OR SCREW ON



INSTANT GLUE

The Signage Wow Instant Glue is the ideal adhesive for use with EasyFix Distance Holders. Suitable for smooth and nonporous materials.

SIZE  
20 gm Bottle  
EASYFIXGLUE2550



Images for illustration purposes only.





EASYFIX STAINLESS STEEL

Easyfix stainless steel 304 is the stainless steel version of the well-known Easyfix spacers. Ideal for blind mounting of Letters and Logos on the wall. The metal pin has an M6 thread and can easily be screwed into a tapped hole or in combination with the Damfix (DF0002). You mount the stainless steel sleeve on the wall, after which you slide both parts together and secure them with the supplied screw. The stainless steel sleeve has a length of 45mm and can be mounted on the wall. Suitable for indoor and outdoor use. Damfix M6 sold separately.

EASYFIX STAINLESS STEEL 304

OUTSIDE DIA.	WIDTH	LENGTH	THREAD	MATERIAL	PACK SIZE	DISTANCE
12 mm	12 mm	15 mm	M6	Stainless	20	15 mm
12 mm	12 mm	25 mm	M6	Stainless	20	25 mm
12 mm	12 mm	45 mm	M6	Stainless	20	45 mm

EFIXP12

DAMFIX M6

OUTSIDE DIAMETRE	INNER DIAMETRE	WIDTH	LENGTH	WALL DISTANCE	PACK SIZE
24 mm	6 mm	24 mm	15 mm	15 mm	20

DF0002



Images for illustration purposes only.



# GOLIATH

Innovative adjustable spacers made from transparent polycarbonate. Supplied with pin, makes large letters easy to assemble and disassemble to clean or replace leds and neon tubes.

NAME	PACK	SIZE
Goliath 1	20	40-57mm
Goliath S1	20	40-57mm
Goliath 2	20	65-85 mm
Goliath S2	20	65-85 mm

GL209



Images for illustration purposes only.



**GOLIATH 1 / 40-57 MM**  
GOLIATH 1 Ø40mm sockets. Adjustable spacing from 40 to 57 mm.  
Supported weight 1kg



**GOLIATH S1 40-57 MM**  
GOLIATH S1 sockets Ø22mm. Adjustable spacing from 40 to 57 mm.  
Supported weight 0.5Kg



**GOLIATH 2 / 65-85 MM**  
GOLIATH 2 sockets Ø40mm. Adjustable spacing from 65 to 85 mm.  
Supported weight 1kg



**GOLIATH S2 65-85 MM**  
GOLIATH S2 sockets Ø22mm. Adjustable spacing from 65 to 85 mm.  
Supported weight 0.5kg



KD GHOST

The KD Ghost is an ideal solution for creating a clean, seamless look when hidden fixings are required, and drilling holes in panels isn't an option. Combining a polycarbonate fastener with metal wall spacers, it provides a stylish floating effect with no limitations on sign thickness.


WALL DISTANCE	FASTENERS HEIGHT	SPACER DIAMETER	PACK
18 mm	45 mm	16 mm	Pack of 4

FG4618K

TO USE, SIMPLY:

- Remove the protection foil and press the fasteners to the panel.
- Mark the exact position for wall holes where wall spacers will be fixed to.
- Wallmount the metal wall spacers.
- Click in your panel!

Safety notice: Every application must be tested if suitable for the materials and weight to be installed. When using adhesives, follow manual instructions carefully.



Images for illustration purposes only.

KD PIXFIX

Pixfix will inspire you to be more creative when hanging signs as it allows you to secure signage to a wall invisibly without the need to drill holes in the signage itself. Thanks to the clever insert system, you can simply exchange the panels at anytime. Pixfix is suitable for all materials and can be mounted with screws, adhesive or silicones. The Pixfix can be your perfect solution for mounting photos, wall direction sign systems, POS graphics or any sign that you really want to look high quality with no holes or fixings showing.


TO USE, SIMPLY:

1. Remove the adhesive tape foil.
2. Mount Pixfix to the panel.
3. Mount the Wall Support to the wall.
4. Click in your panel!


Safety notice: Every application must be tested if suitable for the materials and weight to be installed. When using adhesives, follow manual instructions carefully.

MAX WEIGHT	WALL DISTANCE	HOLE DIAMETER
4 kg	10 mm	4 mm

FPX100100SY



Images for illustration purposes only.





Fix panel hanging system to Dibond.



Fixing for the wall that holds the Panel hanging system.



Hey presto, your dibond panel is easy to fix to the wall.

DIBOND PANEL HANGING SYSTEM WITH WALL MOUNT

This Dibond hanger is a perfect photo hanging system for hanging your dibond material from 1 kg to 8 kg . You simply stick the hanging plate on the back of the panel, after which you can easily hang your photo on the wall with the supplied wall mounting materials. ATTENTION the plate must remain under pressure from a weight for 24 hours before you hang it up. This product contains a dibond hanger, wall bracket, alcohol whip, bumperstops, screw and plug.

INSTRUCTIONS

1. Allow the panel and the mounting plate to acclimate to room temperature (20 ° C).
2. Remove the protective film from the back of the panel.
3. Determine the location of the hanging plate in the center at 1/4 distance from the top. Clean the area with an alcohol swab and then dry with kitchen paper.
4. Stick the hanging plate to the panel and press firmly for 20 seconds.
5. Pressurize the mounting plate with a heavy object (15 kg) and let it rest for 1 hour.
6. Wait 24 hours before hanging the panel.

NOTE: Not suitable for plexiglass with print on the back.

WIDTH	LENGTH	MAX WEIGHT	HEAD THICKNESS
45 mm	45 mm	1 kg	1 mm
70 mm	70 mm	3 kg	1 mm
100 mm	100 mm	6 kg	1 mm
100 mm	200 mm	8 kg	1 mm

OPACR



Dibond panel fixing kit.






PANEL CLIPS

The Panel clip is a durable, heat-treated aluminium profile designed for the secure installation of architectural panelling, signage, and artwork. Featuring a 100% positive-stop interlock, it provides a strong and straightforward solution for all signage installations.

Panel Clips are highly efficient, reducing both installation time and costs. Panels can be prefinished, eliminating the need for face nailing or on-site finishing. Additionally, Panel Clips make panel removal effortless, ideal for remodelling or refinishing projects.



MATERIAL	LENGTH
Aluminium	1000 mm

PANELCLIP1MTR

Please note: Panel Clips are not pre-drilled and must be cut to suit top and bottom installation requirements.



Images for illustration purposes only.






**KD CLAMPER**

The KD Clamper Unit is an elegant clamp system that doesn’t require the drilling of holes to use. Simply wall mount one profile, hook in the second, put in the panel and fix in place by tightening the allen screws.

Panels of different thickness are safely fastened without holes. You can use the clamper at different lengths, on one or two sides, as a sandwich system or with single panels.

LENGTH	MATERIAL	MAX WEIGHT	MAX PANEL
60 mm	Aluminium	15 kg	3-10 mm
100 mm	Aluminium	15 kg	3-10 mm
200 mm	Aluminium	15 kg	3-10 mm
300 mm	Aluminium	15 kg	3-10 mm
400 mm	Aluminium	15 kg	3-10 mm
600 mm	Aluminium	15 kg	3-10 mm

FCL




Images for illustration purposes only.

**KD UNICO**

KD Unico is a universal, innovative and quick coloured fixing system. With Unico you can turn your panels into ceiling, flag, top or door signs. The white support can hold panels and signs of different materials also. Simply insert the panel into the support, fix it in place with the grub screws and then click on the covers. Unico is available in silver matt as well as in matching colours for safety signage. Side Cap colours available in silver matt and traffic red.

MAX WEIGHT	PANEL	PACK
5 kg	4 mm	Set of 2

FUC6025AR



Images for illustration purposes only.





SIGNCLAMP FLAG STANDOFF

The Signage Wow SignClamp Flag Standoff will suit a range of materials and applications. The aluminium clamps are tamper-proof and for indoor use only. Comes in pack of one complete with screws, dowels and Allen key included.

SIZE	OUTSIDE DIAMETER	LENGTH	PANEL THICKNESS	WALL DISTANCE
80 x 25 x 25 mm	25 mm	80 mm	2-8 mm	25 mm
120 x 25 x 25 mm	25 mm	120 mm	2-8 mm	25 mm
180 x 25 x 25 mm	25 mm	180 mm	2-8 mm	25 mm

SCALH



Images for illustration purposes only.




SIGNCLAMP WALL STANDOFF

The Signage Wow SignClamp Wall Standoff will suit a range of materials and applications. The aluminium clamps are tamper-proof and for indoor use only. Comes in pack of one complete with screws, dowels and Allen key included.


SIZE	OUTSIDE DIA.	LENGTH	PANEL THICKNESS	WALL DISTANCE
80 x 25 x 25 mm	25 mm	80 mm	2-8 mm	25 mm
120 x 25 x 25 mm	25 mm	120 mm	2-8 mm	25 mm
180 x 25 x 25 mm	25 mm	180 mm	2-8 mm	25 mm

SCALM



Images for illustration purposes only.





 **SIGNCLAMP SPACER WALL  
BLACK CLASSIC**

Universal Signclamp spacer wall. For all signs, panels, plexiglass and every application. For indoor use. Material: Aluminum black. Complete with screws, plugs and Allen key.

SIZE	PLATE THICKNESS	WALL DISTANCE
25 x 80 mm	2-8 mm	25 mm
25 x 120 mm	2-8 mm	25 mm
25 x 180 mm	2-8 mm	25 mm

SCALHB



 **SIGNCLAMP STANDOFFS  
FLAG CLASSIC BLACK**

Universal Signclamp Standoffs Flag. For all materials and every application. For indoor use only. Material: Aluminium. Complete with screws, dowels and Allen key.

SIZE	PLATE THICKNESS	WALL DISTANCE
25 x 80 mm	2-8 mm	25 mm
25 x 120 mm	2-8 mm	25 mm
25 x 180 mm	2-8 mm	25 mm

SCALMB





SIGNCLAMP SPACER ANGLED BASIC

Universal Signclamp spacer perpendicular to the wall. For all signs, panels, plexiglass and every application. For indoor use. Material: Aluminum. Complete with screws, plugs and Allen key.

SIZE	PANEL THICKNESS
100 x 50 mm	2-6 mm
150 x 50 mm	2-6 mm
210 x 50 mm	2-6 mm
297 x 50 mm	2-6 mm

SCHAL



Images for illustration purposes only.



FLAG MODEL STANDOFF

The stainless steel Flag Model Standoff, for use with Flag signs, are tamper-proof and are ideal for both indoor and outdoor use.

MATERIAL	BORE HOLE	OUTSIDE DIA.	LENGTH	PANEL THICKNESS	WALL DISTANCE	PACK
Stainless Steel	4 mm	20 mm	35 mm	2-10 mm	10 mm	Pack of 2

99HA2010ix304



Images for illustration purposes only.



TABLESTAND

The Signage Wow stainless steel Tablestand system provides simple effect support for all your counter signage requirements. Simply put the screw body through the panel at the desired height.

LENGTH	MATERIAL	COLOUR OUTSIDE	DIA.	PLATE THICKNESS	PACK
70 mm	Stainless Steel	Silver	10 mm	2-8 mm	Pack of 2

TS1070IX



TABLESTAND BRASS BLACK/  
SILVER 16X54MM

LENGTH	MATERIAL	COLOUR OUTSIDE	DIAMETER	PLATE THICKNESS	PACK
54 mm	Brass	Silver	16 mm	2-8 mm	2
54 mm	Brass	Black	16 mm	2-8 mm	2

TS1654LDZ



CLEAR POLYCARBONATE SPACERS

These robust Signage Wow Transparent Polycarbonate Spacers allow you to create a seamless installation by allowing the signage to look like its ‘floating’ from the mounting surface. These spacers can be used to transform unsightly visible screws into an added design feature.

SIZE	PACK
5 mm	Pack of 100
10 mm	Pack of 100
15 mm	Pack of 100
20 mm	Pack of 100
30 mm	Pack of 100
40 mm	Pack of 100

SPACERCLEARPK100



STAINLESS STEEL SPACERS

Signage Wow Stainless Steel Spacers feature clean lines and a modern look. Available in a range of sizes, they are great for mounting display panels and signage in just about any office or retail setting.

SIZE	PACK
5 mm	Pack of 100
10 mm	Pack of 100
20 mm	Pack of 100
40 mm	Pack of 100

ABRVS77



POLYTOP SCREWS

Polytop screws are a simple zinc plated one-piece fixing with an innovative, encapsulated polymer head. They offer a stable fixing for use on exposed fixing areas. The polymer used is corrosion resistant, so are ideal for both indoor and outdoor use. The colour co-ordinated head will not separate as with other two-part screw and cover fasteners.



COLOURS	SIZE	PACK
Red, Green, Blue, Yellow, Black, White, Brown	24mm/10 Gauge	Pack of 100

POLYSCREWS



PLASTIC SNAP CAPS

To use the Signage Wow Plastic Snap Caps you simply insert a screw through the hole in the cap, screw into place, then clip the cap shut to hide the head of the screw from sight. Snap Caps are UV stabilised for all weather applications.



COLOURS	SIZE	PACK
Red, Green, Blue, Yellow, Black, White	6-8 Guage	Pack of 100

SNAPCAPS68



HINGE SNAP CAPS

Hinge Snap Caps conceal screws with flat bottomed heads, including panhead and round head. Made from high impact UV stabilised plastic. Available in White, Black and Aluminium Tone.

COLOURS	PACK
White	Pack of 250
Black	Pack of 250
Aluminium	Pack of 250

HINGECAPS



ELECTROPLATED SNAP CAPS

The Signage Wow Electroplated Snap Caps come in Chrome, Gold and Satin Chrome brilliant metal finishes. The high tech electroplated process ensures that you get the most durable and lasting finish available. Suitable for interior and exterior applications.

COLOURS	PACK
Chrome	Pack of 100
Satin Chrome	Pack of 100
Gold	Pack of 100

SNAPCAPSEP68



MONOPLEX CAPS

The Signage Wow Monoplex Caps come in three material finishes, Brass, Stainless Steel and Chrome and feature a threaded ring with decorative pointed cap. Screw and spacer bush not included.

FINISH	DIAMETER	BOREHOLE	PACK
Brass	16 mm	5.5 mm	Pack of 10
Stainless Steel	16 mm	5.5 mm	Pack of 10
Chrome	16 mm	5.5 mm	Pack of 10

MONO10





## FIXTURES FOR FREESTANDING SIGNS

BASES FOR FREESTANDING

PAGE 64

PANEL FIXINGS FOR FREESTANDING SIGNS

PAGE 72





### QUICKBASE

This new panel base features a clamping profile for securing information and advertising boards. Ideal for interior or exterior use. Quickbase is the perfect choice for anybody who is looking for a flat, light base.

♥ WHY SIGN MAKERS LOVE THIS PRODUCT

- Easy mounting of all types of rigid displays.
- Lightweight stable display.
- Tipping protection thanks to the extremely flat base.
- Robust and long expectancy life thanks to its powder coated surface.
- Use multiple Quickbases together to create larger displays.
- Can accomodate different types of materials such as Dibond, Plexiglass, metal or other synthetic materials.
- Thanks to the slim appearance of Quickbase your print will not be obscured.

CLAMPING	WEIGHT	PANEL THICKNESS	MAX LOAD	HOLE DIAMETER
4 mm	3.8 kg	2-20 mm	10 kg	9 mm

QB53704

Images for illustration purposes only.





### PANEL BASE ALUMINIUM

The Promic Panel base is an extremely stable aluminium stand with an anti-slip silicon base.

♥ WHY SIGN MAKERS LOVE THIS PRODUCT

- Available in both Silver and Black.
- 2 Different sizes to accommodate panel thicknesses from 3mm to 26mm.
- Comes with 'stoppers' to complete the finish.obscured.

WIDTH	HEIGHT	DEPTH	COLOUR
300 mm	140 mm	380 mm	Black/Silver
500 mm	140 mm	380 mm	Black/Silver

PBAB

RECOMMEND 1500MM PANEL SIZE, DEPENDING ON SUBSTRATE.



PANEL BASE END STOPPERS



ANTI-SLIP SILICONE

Images for illustration purposes only.





DIGIPRESSTO

Digipressto is a clamping profile made from anodised aluminium with anti-slip protection and knurled head screw.

WHY SIGN MAKERS LOVE THIS PRODUCT

- The perfect solution for securing display panels in place to create a signpost or advertising banner.
- Opens/closes easily with a knurled head screw.
- Integrated rubber laces protect panels and act as anti-slip pads.
- Can accommodate panels from 1mm up to 30mm.
- Black side caps available (not included).

BASES
Silver 200 mm
Silver 500 mm
Black 100mm w/ Black Caps
Black 200mm w/ Black Caps
Black Side Caps x 4

PT



PANELS 1-15MM OR 30MM



SILVER CLAMPING PROFILE



OPTIONAL BLACK SIDE CAPS



BLACK CLAMPING PROFILE

Images for illustration purposes only.





BOARD HOLDER

The Signage Wow Board Holder is a great solution for holding DiBond, Forex or PVC promotional panels. The holder can accommodate panel thicknesses up to 20mm, with no tools required for assembly.

WHY SIGN MAKERS LOVE THIS PRODUCT

- Available in two handy sizes.
- Robust, high quality components.
- No tools required.
- Can accommodate panels up to 20mm wide.

SIZE	COLOUR	PACK	WEIGHT	PANEL THICKNESS
85 x 295 mm	Aluminium	Pack of 2	1.5 kg (set)	Up to 20 mm
400 x 295 mm	Aluminium	Pack of 1	2 kg	Up to 20 mm

341

RECOMMEND 1500-2000MM PANEL SIZE, DEPENDING ON SUBSTRATE.

ROBUST, HIGH QUALITY  
AND NO TOOLS ASSEMBLY




AVAILABLE IN 2 SIZES



PADDED FEET

Images for illustration purposes only.



ALUMINIUM FINISH



FOR PANELS UP TO 20MM



 THE ROCK

The Signage Wow Rock display holder supports a range of substrates including PVC, Forex, Dibond and Wood. The unit is extremely stable and suitable for substrates up to 10mm in thickness. Ideal for both single and double sided promotions, they are simple and easy to use. Can be used without extra weight indoors and filled with water for outdoor use

♥ WHY SIGN MAKERS LOVE THIS PRODUCT

- An extremely stable unit.
- Can accommodate substrates up to 10mm thick.
- Ideal for double sided promotions.
- Ideal for indoor and outdoor use.

A/O DIMENSIONS	PANEL THICKNESS	COLOUR	WEIGHT
190 x 400 x 140 mm	10 mm	Black	12kg / 7kg full

7003

RECOMMEND 1200MM TALL PANEL ONLY. SUBSTRATE DEPENDANT



SAMPLE DISPLAY

Images for illustration purposes only.



DIMENSIONS



 IPOINT

IPoint comes complete with two double-sided aluminium composite panels, ideal for digital printing, or vinyl application for use on the front and rear sides of your iPoint. After customising, the panels can be simply fixed with silicone or other glue to the recessed profile frame.

♥ WHY SIGN MAKERS LOVE THIS PRODUCT

- Aluminium composite panels.
- Double-sided; for digital printing or vinyl application.
- The panels are simply fixed to the panel frame.

DISPLAY AREA
1900 x 600 mm

IP1900600ARW

Images for illustration purposes only.



DOUBLE SIDED ALUMINIUM PANELS



STABLE BASE





IX BOND

iX Bond connects 3-10mm panels infinitely and free of torsion.

♥ WHY SIGN MAKERS LOVE THIS PRODUCT

- The face joint remains at a discrete 6mm.
- The screw can be mounted from both sides which is convenient if you are creating structures in 3D or close to walls.
- Ergonomic and decorative recessed grips make mounting easy.

TYPES AVAILABLE

60° Connector
90° Connector
135° Connector
180° Connector

IX2B



DOUBLE SIDED ALUMINIUM PANELS



STABLE BASE

Images for illustration purposes only.



PLAYWOOD CONNECTORS

The Playwood Connectors allow for the easy and innovative assembly of substrates between 16 and 19 mm. They will save you time and money as there is no drilling involved. Simply slide your panels into the connectors and tighten together with the allen key.

With Playwood Connectors you can easily install pop-up shop systems, POS, exhibition stands, shelving units and so much more - exactly as and when you need them. And dismantle units for further use just as quickly.

For a small investment - a world of opportunities open for you.

PLAYWOOD CONNECTORS

COLOURS	SIZES	PACK	PRICE
Black, White	90°, 105°, 150°	Pack Of 4	€12.20

PWCONNECTOR

CROSS CONNECTORS

COLOURS	PRICE
Black, White	€13.46


PW2X



BLACK

WHITE

THE CONNECTOR



Images for illustration purposes only.





## ROAD SIGN FIXING SYSTEMS

ROAD SIGN FIXING SYSTEMS

PAGE 78





ANTI-ROTATIONAL STEEL  
FIXING CLIPS

The Signage Wow Anti-Rotational Clips are a fast and simple solution for mounting signs to circular poles. These stainless steel clips are available in a range of sizes and are supplied complete with M8 fixing bolts, washers and nuts. The Anti-Rotation is achieved with raised pips on the inside of the clip which prevents the rotation of the sign when it's mounted on a single post.

SIZE
50 mm
60 mm
76 mm
back to back 76 mm
89 mm
102 mm
114 mm

SSC



CHANNEL EXTRUSION

Available in 3mtr lengths, the Signage Wow Channel Extrusion is used to fix signboards to posts. Simply attach the Channel Extrusion to the panel with rivets or VST Bonding Tape and then fix the panel to any sign post using the Signage Wow Sign Clips. Ideal for permanent road signage.

MATERIAL	FINISH	LENGTH
Aluminium	Mill	3 mtr
Aluminium	Painted Gray	3 mtr

MILLFINISH1MTR/ PAINTEDFINISH1MTR



BANDING SYSTEM UNIVERSAL  
CHANNEL CLAMP



The Signage Wow Banding System provides a fast and versatile solution for fixing signs to large and varying diameter posts. The Banding Tool is perfect for securely installing large numbers of signs without the hassle of nuts, bolts and washers. The Banding comes on a reel and when used with the buckles, this system ensures both speed and security when fixing panels to posts.

ITEM	SIZE
Buckles	19 mm

SIGNFIXBUCKLES19MM

ITEM	SIZE
Banding Reel	19mm x 30.48mtr

SIGNFIXBANDROLL19MM

ITEM
Banding tool

SIGNFIXBANDINGTOOL



This highly versatile fixing will operate with a band up to 19mm (3/4") wide. As the band is tightened, its tensioned spring design locks it solidly in place, preventing any sideways movement.

PACK
pack of 1



TAMTORQUE  
CLIPS

Tamtorque Clips have been designed for clamping signs of all types to round, square, hexagonal or any unusual shaped post, giving a quick and reliable fix every time.

They are available in a range of diameters eliminating the need to cut the band to size. They do not therefore have sharp edges which can snag or cut and, unlike other banding systems, can be easily reused or readjusted.



Tamtorque Clips feature a hardened tamper resistant screw with a unique recessed seven sided socket. This means that they can only be tightened or released with a special Tamtorque screw bit.

An auto locking safety buckle ensures the free end of the band is both safe and tidy.



CLIP SIZES	PACK
50-70 mm	Pack of 1
70-100 mm	Pack of 1
100-130 mm	Pack of 1
160-190 mm	Pack of 1
190-250 mm	Pack of 1

TTK



## PROJECTING SIGNS

PROJECTING SIGNS	PAGE 82
DELUXE SCROLL BRACKET	PAGE 84
REVERSE SCROLL BRACKET	PAGE 86
FIXTURE FOR PROJECTING SIGNS	PAGE 87





Images for illustration purposes only.



PROJECTING SIGNS

Low cost, high impact flat projecting signs, available in 3 standard shapes.

♥ WHY SIGN MAKERS LOVE THIS PRODUCT

- Cost-effective, double-sided shop front advertising.
- Exceptional value - 5+ years outdoor life.
- Gloss white 2mm aluminum panel - ideal for vinyl application.
- 50mm Fixing flange, pre-drilled with round fixing holes as standard.

PRODUCT	A/O DIMENSIONS	DISPLAY AREA	WEIGHT
Round Projector	556 x 495 x 50 mm	495 mm Diameter	1.8 kg
Oval Projector	605 x 400 x 50 mm	500 x 400 mm	1.8 kg
Rectangular Projector	582 x 417 x 50 mm	575 x 417 mm	1.8 kg

PROJSIGN



ROUND PROJECTOR



OVAL PROJECTOR



RECTANGULAR PROJECTOR





DELUXE SCROLL BRACKET


The Signage Wow Deluxe Scroll Bracket comprises of a twisted steel shaft and solid steel ball finial, which mounts to a wall. The bracket comes with a 3” wide back plate with four mounting holes. Available only in black powder coated finish, the bracket comes with a 2mm thick aluminum sign panel (blank).

WHY SIGN MAKERS LOVE THIS PRODUCT

- Attractive twisted steel shaft.
- Pre-drilled for easy mounting to wal

A/O WIDTH	PANEL SIZE (H X W)	BACK PLATE (H X W)	WEIGHT
914 mm	365 x 864 mm	355.5 x 76 mm	7 kg

SCROLLDELUXE





REVERSE SCROLL BRACKET

The Signage Wow Reverse Scroll Bracket features a twisted steel shaft and classic scroll, which comes with a 2mm thick aluminium oval panel (blank) for graphic application.

WHY SIGN MAKERS LOVE THIS PRODUCT

- Heavy duty 3” wide back plate containing four holes for easy mounting.
- Bracket is black powder coated throughout.

A/O WIDTH	PANEL SIZE (H X W)	BACK PLATE (H X W)	WEIGHT
1092 mm	558 x 834 mm	305 x 76 mm	8 kg

SCROLLREVERSE



PARISIAN ARCH

This swinging sign hanger projects the sign panel above and out from the mounting point, which is a great benefit in situations where the fixing point may be limited to a low fascia or adjoining brick work.

- Each sign hanger comes fully zinc plated and powder coated giving a durable gloss black finish.
- The sign panels are moulded from high quality UV stable rigid plastic, and will directly accept vinyl and most paints.
- All fixing supplied are stainless steel and all mounting holes are pre-drilled at 8.5mm diameter.
- Mounting plate requires a relatively small fixing area.

O/A DIMENSIONS	DISPLAY AREA	WEIGHT
815 x 630 mm	340 x 555 mm	8 kg

PARISIANARCH



FLORAL CLASSIC

Suitable for both interior and exterior use, the Floral Classic comes in a standard black finish, with a fixed sign panel firmly mounted onto three points. The sign can also support a hanging basket, which can add a whole new dimension to displaying a sign. Includes Bracket, panel and fixings.

- Zinc plated and powder coated giving a durable, corrosion resistant gloss black finish.
- Panels are moulded from high quality UV stable rigid plastic, and will directly accept vinyl and most paints.
- All fixing supplied are stainless steel and all mounting holes are predrilled at 8.5mm diameter.

O/A DIMENSIONS	DISPLAY AREA	WEIGHT
625 x 635mm	340 x 550 mm	8 kg

FLORALCLASSIC



CURVEX

The sleek and clean design of this projecting sign offers a contemporary look. Featuring strong box section construction and is zinc plated and powder coated. The curved panels are preformed aluminium and simply bolt on with stainless steel fixings (supplied).

- Supplied as a complete unit and powder coated silver as standard which can easily be over-painted if other colours are required.
- Vinyl can be directly applied to the panels.
- Can be wall or ceiling mounted.
- Available in both portrait and landscape versions.

O/A DIMENSIONS	DISPLAY AREA	WEIGHT
900 x 400 mm	700 x 400 mm	8 kg
400 x 900 mm	400 x 700 mm	8 kg

CURVEX





**READY TO LIGHT  
UP YOUR SPACE?**  
**DISCOVER OUR LED RANGE!**  
**CALL US NOW AT**  
**+353 (01) 427 5240**





# ARE YOU READY TO WOW AND BE WOWED?

AT SIGNAGE WOW, OUR MISSION IS TO INSPIRE, SUPPLY AND SUPPORT ALL THOSE WHO DESIGN AND BUILD EYE-CATCHING SIGNS AND DISPLAYS.

## SHOWING THE WOW

WE'VE CREATED OUR OWN WOW-INSPIRING SHOWROOM WHERE YOU CAN FIND NEW IDEAS FOR THE SIGNS AND DISPLAYS OF YOUR LATEST PROJECT.

**BOOK YOUR VISIT TODAY!**





**ADDRESS:** UNIT 7 AIRTON CLOSE,  
TALLAGHT, D24  
**PHONE:** +353 (01) 427 5240  
**EMAIL:** SALES@SIGNAGEWOW.COM  
**WEB:** WWW.SIGNAGEWOW.COM